Note: All conferences, notices and other announcements are under one heading: NOTICES.

Index to Volume 42, 1985

A

Absenteeism, sickness, *see* Sickness absenteeism
Accident liability, 336
ACHESON E D *see* COGGON D *et al*
PANNETT B *et al*
PIPPARD E C *et al*
Acid chlorides, outbreak of illness after occupational exposure, 686
Acquired immune deficiency syndrome *see* AIDS
ADDISON J *see* VINCENT J H *et al*
AERDTS C W H M *see* SWAEN G M H *et al*
Agate dust in vivo and cytotoxic and haemolytic effects in vitro, pulmonary response to, 700
AHLBOM A *see* GERHARDSSON M R *et al*
OLIN R *et al*
VÅGERÖ D *et al*
AHLBORG G, BERGSTRÖM B, HODSTEDT C, EINISTÖ P, an.' SORSA M: Urinary screening for potentially genotoxic exposures in a chemical industry, 691
AIDS, minimising the occupational risks: editorial, 361
Air pollution, in diesel bus garages, further study, 824
—— —— and mortality from lung cancer and other diseases, Armadale epidemic, 1961–82, current situation, 815
Airways abnormalities, small, severe diffuse, in long term chrysotile asbestos miners, 556
ÅKESSON B, FLORÉN I, and SKERFVING S: Visual disturbances after experimental human exposure to triethylamine, 848
AKIYAMA T *see* OHNISHI A *et al*
ALBERS J W *see* MAIZLISH N A *et al*
ALIES-PATIN A M and VALLERON A J: Mortality of workers in a French asbestos cement factory 1940–82, 219
Aliphatic hydrocarbons (C5–C7), industrial partition coefficients, blood and human tissues, 162
Aliphatic monoketones, non-neurotoxic, and methyl n-butyl ketone neurotoxicity enhancement, experimental study, 155
ALLAN W G L *see* NG T P *et al*
Allergy to laboratory animals: correspondence, 213
Alveolar-capillary barrier, in firefighters, changes in permeability, 631
—— macrophages, expectorated, as indicators of occupational air pollution, statistical derivation of standardised procedure for counting, 205
—— —— human and rabbit, and dissolution of metals, 642
Amines, effects of whole body vibration, rat brain, 133
—— inducing occupational asthma in polyurethane foam manufacturing workers: correspondence, 567
ANASTASIO S P *see* DE ROSIS F *et al*
ANDERSSON K *see* ELINDER C-G *et al*
ANDERSSON N *see* SALMON A G *et al*
Angiosarcoma, liver, and exposure to vinyl chloride, report of register of cases, 750
Anthrax, and the archaeologist: editorial, 793
ANTONIS P *see* BERRY G *et al*
AQUILINA G *see* CREBELLI R *et al*
Archaeologist, and occupational health: editorial, 793
ARIIZUMI M and OKADA A: Effects of whole body vibration on biogenic amines in rat brain, 133
—— *see also* OKADA A *et al*
ARMSTRONG B G and KAZANTZIS G: A problem in looking for relationships between concentrations of urinary components: correspondence, 70
—— —— Prostatic cancer and chronic respiratory and renal disease in British cadmium workers: a case control study, 540
ARMSTRONG B K *see* COOKSON W O C *et al*
Asbestos associated disease, study of dose-response relationships, 319
—— cement factory 1940–82, France, mortality of workers, 219
—— —— workers, former, ventilatory decrements in, four year follow up, 612
—— —— —— lung cancer, Swedish cohort study and review, 397
—— chrysotile, miners, long term, severe diffuse small airways abnormalities, 556
—— dust, inhalation studies, 707
—— exposure and lung cancer SMRs, relations between, in occupational cohort studies, 389
—— fibres, type, and mesothelioma: correspondence, 567: correction, 847
—— —— relative toxicity: correspondence, 69
—— quartz, and titanium dioxide dusts, effects on bovine erythrocyte membrane, spin label study, 281
—— and smoking, combined effect on mortality from lung cancer and mesothelioma in factory workers, 12
—— workers, mortality, London 1933–80, 4
Asbestosis compensation, applicants for, compensation, radiographic changes, and survival, 461
—— pseudotumour in, asymmetric rapidly progressive lung fibrosis as cause: short report, 350
—— reduced killer cell activity of lymphocytes, 276
Aspergillus niger, biotechnology plant workers, clinical and immunological reactions, 312
Asthma, occupational, due to emulsified oil mist, 51: correspondence, 646
—— —— induced by amines, polyurethane foam manufacturing workers: correspondence, 567
—— —— steel coating plant, 517
ASTON R H R *see* SORAHAN T *et al*
ÅSTRAND I: Uptake of solvents from the lungs: editorial, 217
ATKINS E *see* JOHNSON A *et al*
Atopy, enzyme detergent industry, over 11 years, 43: correction, 288
ATUHAIRE L K, CAMPBELL M J, COCHRANE A L, JONES M, and MOORE F: Mortality of men in the Rhondda Fach 1950–80, 741
Automobile engine and parts manufacturing complex, mortality of workers, 85
AXELSON O *see* WINGREN G and AXELSON O
Axonal degeneration and ethylene oxide, 373

B

Back pain and heavy physical work, comparison between concrete reinforcement workers and maintenance house painters, 226
—— strain in concrete reinforcement workers, 233
BAKER E L, WHITE R F, POTHIER L J, BERKEY C S, DINSE G E, TRAVERS P H, HARLEY J P, and FELDMAN R G: Occupational lead neurotoxicity: improvement in behavioural effects after reduction of exposure, 507
BAKINSON M A and JONES R D: Gassings due to methylene chloride, xylene, toluene, and styrene reported to Her Majesty's Factory Inspectorate 1961–80, 184
Barley dust exposure, lung function after, 106
BARNES R E *see* VENA J E *et al*
BAVERSTOCK K F and PAPWORTH D G: Risk factors for radiogenic cancer: a comparison of factors derived from the Hanford survey

with those recommended by the ICRP, 341
BEATTIE B E *see* HENDY M S *et al*
BEELEY M *see* MINTY B D *et al*
BEHAR M ESTRYN-, *see* ESTRYN-BEHAR M
Behavioural evaluation of workers exposed to mixtures of organic solvents, 579
BELTRAME A *see* DE ROSIS F *et al*
BENNETT B *see* FORMAN D *et al*
BERGSTRÖM B *see* AHLBORG G *et al*
BERKEY C S *see* BAKER E L *et al*
BERNSTEIN L *see* GARABRANT D H *et al*
BERRY G, NEWHOUSE M L, and ANTONIS P: Combined effect of asbestos and smoking on mortality from lung cancer and mesothelioma in factory workers, 12
—— *see also* NEWHOUSE M L *et al*
Beryllium exposure, long term follow up: correspondence, 69
Bhopal catastrophe, methyl isocyanate, and usefulness of acute toxicity testing: editorial, 577
BILLE S *see* GJESDAL K *et al*
Biotechnology plant workers, and *Aspergillus niger*, clinical and immunological reactions, 312
Biphenyl and Kanechlor-400, effects on respiratory and energy linked activities, rat liver mitochondria, comparative study, 128
BJØRGE E *see* GJESDAL K *et al*
BLOFELD R E *see* FLOOD D F S *et al*
BLOT W J *see* BRINTON L A *et al*
BODEL C C *see* JAMISON J P *et al*
BODIN L *see* OHLSON C-G *et al*
Body reactions, during chain saw work, 667
BOLTON R E *see* VINCENT J H *et al*

Book Reviews:

AITIO A, RIIHIMAKI V and VAINIO H *editors*: Biological monitoring and surveillance of workers exposed to chemicals 1984, 357
BROWN S S and SAVORY J, *editors*: Chemical toxicology and clinical chemistry of metals, 1983, 432
CAMBRIDGE G W and GOODWIN B F J: Allergy to chemicals and organic substances in the workplace. Occupational hygiene monography No 12 1984, 141
CHAMBERLAIN G: Pregnant women at work 1984, 288
CHATFIELD E J, ELMES P C, MUHLE H, POTT F, and POOLEY F D: Short and thin mineral fibres. Identification, exposure, and health effects. Proceedings from a symposium 1983, 214
GEE J B L *editor*: Occupational lung disease 1984, 356
GRANDJEAN E *editor*: Ergonomics and health in modern offices 1984, 357
GROSS P and BRAUN D C: Toxic and biomedical effects of fibres 1984, 431
HEALTH AND SAFETY COMMISSION; Plan of work 1985–86 and onwards 1985, 571
IARC monographs on the evaluation of carcinogenic risk of chemicals to humans. Vol 31: Some food additives, feed additives and naturally occurring substances. Vol 32: Polynuclear aromatic hydrocarbons, part 1, chemical environmental and experimental data. Vol 33: Polynuclear aromatic hydrocarbons, part 2, carbon blacks, mineral oils and some nitroarenes 1983, 214
IARC No 54: Laboratory decontamination and destruction of carcinogens in laboratory wastes—some hydrazines 1984, 356
IARC No 55: Laboratory decontamination and destruction of carcinogens in laboratory wastes—some N-nitrosamides 1984, 356
IPCS: Environmental health criteria: Nos. 26 Styrene 1983; Acrylonitrile 1983; 31 Tetrachloroethylene 1984; 32 Methylene chloride 1984; 33 Epichlorohydrin 1984; 34 Chlordane 1984; 42 Tecnazene 1984, 431
IPCS: Environmental health criteria: No 36 Fluorine and fluorides; 37 Aquatic (marine and freshwater) biotoxins; 38 Heptachlor; 39 Paraquat and diquat; 40 Endosulfan; 41 Quintozene; 44 Mirex; 45 Camphechlor 1984, 719
LAUWERYS R R: Industrial chemical exposure: guidelines for biological monitoring 1983, 140
MORGAN W K C and SEATON A *editors*: Occupational lung diseases, 2nd ed. 1984, 356
NUTT A R: Toxic hazards of rubber chemicals 1984, 71
O'NEILL I K, VON BORSTEL R C, MILLER C T, LONG J and BARTSCH H, *editors*: N-Nitroso compounds: occurrence, biological effects and relevance to human cancer 1985, 503
ROI R, TOWN W G, HUNTER W G, and ALESSIO L: EUR 8513 occupational health guidelines for chemical risks 1983, 140
SUNDERMAN F W *editor*: Nickel in the human environment 1985, 647
WORLD HEALTH ORGANISATION: Toxic oil syndrome: mass food poisoning in Spain, 1984, 719
Borax dust, respiratory effects, 831
BOREK E *see* SOLOMON S J *et al*
BOVENZI M, GIANSANTE C, FIORITO A, and CALABRESE S: Relation of haemostatic function, neurovascular impairment, and vibration exposure in workers with different stages of vibration induced white finger, 253
BOYLAND E: Methyl groups or additional aromatic groups donate tumour promoting activity: short report, 784
—— Tumour initiators, promoters, and complete carcinogens: short report, 716
Brain, amines, effects of whole body vibration, 133
BRASSEUR L *see* NEMERY B *et al*
BREDESEN J E *see* GJESDAL K *et al*
BRINTON L A, BLOT W J, and FRAUMENI J F: Nasal cancer in the textile and clothing industries, 489: correction, 566
BROADBENT D E, BROADBENT M H P, MALE J C, and JONES M R L: Health of workers exposed to electric fields, 75: correction, 357
BROADBENT M H P *see* BROADBENT D E *et al*
BROCHHAGEN F: Do amines induce occupational asthma in workers manufacturing polyurethane foam: correspondence, 567
BRØCHNER-MORTENSEN J *see* OLSEN N *et al*
Bronchial reactivity, coffee workers, 415
BROTT K *see* SMITH D *et al*
BRUCE C F *see* FLOOD D F S *et al*
BRUGNONE F: Uptake of solvents from the lungs: correspondence, 569
—— *see* PERBELLINI L *et al*
BRUNE D *see* GERHARDSSON L *et al*
BURGE P S *see* HENDY M S *et al*
VENABLES K M *et al*
Bus garages, diesel, further study of air pollution, 824
BUTKOVIĆ D *see* ŽUŠKIN E *et al*
Byssinosis, in Hong Kong, 499

C

Cadmium exposure and metallothionen: correspondence, 70
—— workers, cancer mortality, 651
—— —— previously exposed to, assessment of renal function, 754
CALABRESE S *see* BOVENZI M *et al*
CAMNER P *see* LUNDBORG M *et al*
CAMPBELL M J *see* ATUHAIRE L K *et al*
Cancer effects of measured doses of external radiation, job related mortality risks, Hanford workers: short report, 137: correspondence, 568
—— incidence and mortality, perfumery and flavour industry, Geneva, 240
—— —— —— —— semiconductor workers, 546
—— morbidity, telecommunications industry workers, 191
—— mortality, cadmium workers, 651
—— —— at energy research laboratory, 525
—— radiogenic, risk factors, comparison between Hanford survey and ICRP, 341: correspondence, 647
Car workers *see* Automobile engine and parts manufacturing complex
Carbon disulphide exposure, effects of intervention on cardiovascular mortality, 32
Carcinogenesis, and methyl groups or additional aromatic groups: short report, 784

Carcinogens, complete, and tumour initiators and promoters: short report, 716
CARERE A *see* CREBELLI R *et al*
CARETTA D *see* PERBELLINI L *et al*
CARR N G *see* COOKSON W O C *et al*
CAVANAGH J B: Solvent neurotoxicity: editorial, 433
Central nervous system, effects of coexposure to toluene and p-xylene, 117
Chain saw operators, vibration induced white finger, follow up study, 267
—— —— —— body reactions during, 667
CHAN-YEUNG M *see* JOHNSON A *et al*
CHAPMAN J S and RUCKLEY V A: Microanalyses of lesions and lymph nodes from coalminers' lungs, 551
CHECKOWAY H, MATHEW R M, SHY C M, WATSON J E, TANKERSLEY W G, WOLF S H, SMITH J C, and FRY S A: Radiation, work experience, and cause specific mortality among workers at an energy research laboratory, 525
Chemical industry, urinary screening for potentially genotoxic exposures, 691
CHENG F *see* JOHNSON A *et al*
CHERRY N, HUTCHINS H, PACE T, and WALDRON H A: Neurobehavioural effects of repeated occupational exposure to toluene and paint solvents, 291
CHIBA M *see* MATOBA T *et al*
China clay, small samples, quantitative mineralogical analysis using x ray diffractometry, 635
CHMIELNICKA J *see* TURLAKIEWICZ Z and CHMIELNICKA J
TURLAKIEWICZ Z *et al*
Chrysotile asbestos miners, long term, severe diffuse small airway abnormalities, 556
CHURCHILL A R *see* SLUIS-CREMER G K *et al*
CHURG A *see* WRIGHT J L and CHURG A
CLARE M G *see* VAN SITTERT N J *et al*
CLARKE E C *see* TOPPING M D *et al*
Clothing industry, nasal cancer, 469, correction, 566
Coal miners, and gastric cancer, case-control study in coal mining area, 627
—— —— hand injuries, South Wales, 844
—— —— *Legionella pneumophila*, 421
—— —— lungs, microanalyses of lesions and lymph nodes, 551
—— —— mortality, Rhondda Fach 1950–80, 741
COCHRANE A L *see* ATUHAIRE L K *et al*
COCKCROFT A E *see* MCCARTHY P E *et al*
Coffee factory workers, Asaro Valley, Papua New Guinea, respiratory impairment, 495
—— workers, bronchial reactivity, 415
COGGON D, PIPPARD E C, and ACHESON E D: Accuracy of occupational histories obtained from wives: short report, 563
—— *see also* PANNETT B *et al*
Concrete reinforcement workers, back strain, 233
—— —— —— and maintenance house painters compared for back pain and heavy physical work, 226
COOKSON W O C, MUSK A W, GLANCY J J, DE KLERK N H, YIN R, MELE R, CARR N G, ARMSTRONG B K, and HOBBS M S T: Compensation, radiographic changes, and survival in applicants for asbestosis compensation, 461
COOKSON W O C M, GLANCY J J, and FROST F A: Asymmetric rapidly progressive lung fibrosis: a cause of pseudotumour in asbestosis: short report, 350
Copper smelters, protective effect of selenium on lung cancer, 617
Corrections, 66, 288, 357, 566, 847
Creatine phosphokinase (CPK) activity, influence of local vibration, 678
CREBELLI R, PAOLETTI A, FALCONE E, AQUILINA G, FABRI G, and CARERE A: Mutagenicity studies in a tyre plant: in vitro activity of workers' urinary concentrates and raw materials, 481
CREMER G K SLUIS-, *see* SLUIS-CREMER G K
Cytochrome P-450 systems, vesicular reconstituted, and microsomes, dechlorination of halocarbons, under reductive conditions, 305

D

DALLY M B *see* VENABLES K M *et al*
DAMBER L and LARSSON L G: Professional driving, smoking, and lung cancer: a case referent study, 246
DAVIES D H, HILL E C, HOWELLS C H L, and RIBEIRO C D: Legionella pneumophila in coal miners, 421
DAVIES G E and TEASDALE E L: Allergy to laboratory animals: correspondence reply, 213
DAVIES R *see* VAN SITTERT N J *et al*
DE JONG G *see* VAN SITTERT N J *et al*
DE KLERK N H *see* COOKSON W O C *et al*
DE ROSIS F, ANASTASIO S P, SELVAGGI L, BELTRAME A, and MORIANI G: Female reproductive health in two lamp factories: effects of exposure to inorganic mercury vapour and stress factors, 488
DEAN B J *see* VAN SITTERT N J *et al*
Dechlorination of halocarbons by microsomes and vesicular reconstituted cytochrome P-450 system under reductive conditions, 305
Decompression sickness and new fishing method, Hong Kong, 209
DELL'ORO C *see* POZZI C *et al*
DER WIEL A VAN *see* VAN DER WIEL A
Detergent, enzyme, industry, lung function, atopy, specific hypersensitivity and smoking, over 11 years, 43: correction, 288
DEVATHASAN G *see* JEYARATNAM J *et al*
1,2-dichloropropane in strain removers, causing toxicity in man, 770
Diesel bus garages, further study of air pollution, 824
—— exhaust emissions, exposure, comparison of SMR, PMR, and PCMR in cohort of union members, 449
—— —— —— potential exposure of heavy construction equipment operators, mortality, 435
Diethyllead, determination in urine by flameless atomic absorption spectrometry, 63
—— as specific indicator of occupational exposure to tetraethyllead, 682
DINSDALE D *see* NEMERY B *et al*
DINSE G E *see* BAKER E L *et al*
Diving, commercial, effect on ventilatory function, 59
DOAK S M A, HEND R W, VAN DER WIEL A, and HUNT P F: Carcinogenic potential of hydrotreated petroleum aromatic extracts, 380
DOLL R *see* FORMAN D *et al*
DOUGLAS D G, DOUGLAS R B, OAKES D, and SCOTT G: Pulmonary function of London firemen, 55
DOUGLAS R B *see* DOUGLAS D B *et al*
Driving, professional, smoking and lung cancer, case referent study, 246
Dust exposure, pneumoconiosis, and mortality, coalminers, 723
Dysbaric hazard, new fishing method, Hong Kong: case report, 209
DYBUNCIO A *see* JOHNSON A *et al*

E

EDLING C: Radon daughter exposure and lung cancer, 721
—— and EKBERG K: No acute behavioural effects of exposure to styrene: a safe level of exposure? 301
—— ÖDKVIST L, and HELLQUIST H: Formaldehyde and the nasal mucosa: correspondence, 570
—— *see also* ELINDER C G *et al*
EINISTÖ P *see* AHLBORG G *et al*
EKBERG K *see* EDLING C and EKBERG K
EKLUND A *see* LUNDBORG M *et al*
Electric fields, health of workers exposed to, 75; correction, 357
Electrical engineers, mortality experience: short report, 211
ELINDER C G, EDLING C, LINDBERG E, KÅGEDAL B, and VESTERBERG D: Assessment of renal function in workers previously exposed to cadmium, 754
—— KJELLSTRÖM T, HOGSTEDT C, ANDERSSON K, and SPÅNG G: Cancer mortality of cadmium workers, 651
ENARSON D *see* JOHNSON A *et al*

ENARSON D A and YEUNG M: Determinants of changes in FEV_1 over a workshift, 202
Energy research laboratory workers, radiation, work experience, and cause specific mortality, 525
ENGEN S *see* NILSEN A M and ENGEN S
Enzyme detergent industry, lung function, atopy, specific hypersensitivity and smoking, over 11 years, 43: correction, 288
Erythrocyte membrane, bovine, effects of asbestos, quartz, and titanium dioxide dusts, spin label study, 281
ESTRYN-BEHAR M and KAMINSKI M: Rates of sickness absenteeism among employees of a modern hospital: the role of demographic and occupational factors: correspondence, 787
Ethylene oxide, and central-peripheral distal axonal degeneration of the lumbar primary neurones, rats, 373
—— —— manufacturing plant, cytogenetic, immunological, and haematological effects in workers, 19
Exposure limits, biological, fetus and EEC politics: editorial, 145
Eyes, effects of triethylamine, 848
—— toxic effects of methyl isocyanate, 795
—— *see also* Oculodermatological findings

F

FABRI G *see* CREBELLI R *et al*
Factory workers, combined effect of asbestos and smoking on mortality from lung cancer and mesothelioma, 12
—— —— mortality, east London, 1933–80, 4
FAIRCHILD E J *see* FLANNIGAN S A *et al*
FALCONE E *see* CREBELLI R *et al*
FELDMAN R G *see* BAKER E L *et al*
Fibrosis, progressive massive, and simple pneumoconiosis, in exminers, 734
FIEDLER R C *see* VENA J E *et al*
FINE L J *see* MAIZLISH N A *et al*
FINKELSTEIN M: On the relative toxicity of asbestos fibres: correspondence, 69
FINKELSTEIN M M: A study of dose-response relationships for asbestos associated disease, 319
Firefighters (firemen), changes in permeability of alveolar-capillary barrier, 631
—— instructors, effect of radiant heat: short report, 67
—— pulmonary function, London, 55
FISCHBEIN A, RIZZO J N, SOLOMON S J, and WOLFF M S: Oculodermatological findings in workers with occupational exposure to polychlorinated biphenyls (PCBs), 426
—— *see also* SOLOMON S J *et al*
FIORITO A *see* BOVENZI M *et al*
Fishermen, mortality from occupational accidents, United Kingdom 1961–80, 806
Fishing method, new, dysbaric hazard, Hong Kong: case report, 209
FJELDBORG P *see* OLSEN N *et al*
FLANNIGAN S A and TUCKER S B: Variation in cutaneous perfusion due to synthetic pyrethroid exposure, 773
—— —— KEY M M, ROSS C E, FAIRCHILD E J, GRIMES B A, and HARRIST R B: Synthetic pyrethroid insecticides: a dermatological evaluation, 363
Flavour and perfumery industry, Geneva, mortality and cancer incidence, 240
Flax dust inhalation, ventilatory responses, normal subjects, protective effect of autoclaving the flax, 196
FLOOD D F S, BLOFELD R E, BRUCE C F, HEWITT J I, JUNIPER C P, and ROBERTS D M: Lung function, atopy, specific hypersensitivity, and smoking of workers in the enzyme detergent industry over 11 years, 43: correction, 288
FLORÉN I *see* ÅKESSON B *et al*
Forced expiratory volume (FEV_1), changes over a workshift, determinants, 202
FORMAN D, BENNETT B, STAFFORD J, and DOLL R: Exposure to vinyl chloride and angiosarcoma of the liver: a report of the register of cases, 750
Foundry workers, respiratory abnormalities and disease, 94, 101
FOX S H *see* ROSENBERG M J *et al*
FRAUMENI J F *see* BRINTON L A *et al*
FREEDMAN R B *see* SALMON A G *et al*
FROST F A *see* COOKSON W O C M *et al*
FRY S A *see* CHECKOWAY H *et al*
FUNAHASHI A *see* SIEGESMUND K A *et al*
Furniture workers, and respiratory cancers, 403
FUTATSUKA M, UENO T, and SAKURAI T: Follow up study of vibration induced white finger in chain saw operators, 267
—— YASUTAKE N, SAKURAI T, and MATSUMOTO T: Comparative study of vibration disease among operators of vibrating tools by factor analysis, 260

G

GAILEY F *see* LLOYD O L *et al*
GAILEY F A Y *see* LLOYD O L *et al*
GAMBERALE F *see* OLSON B A *et al*
GARABRANT D H, BERNSTEIN L, PETERS J M, SMITH T J, and WRIGHT W E: Respiratory effects of borax dust, 831
Gas industry, and vibration white finger, 672
Gassings, due to methylene chloride, xylene, toluene, and styrene, reported to Her Majesty's Factory Inspectorate 1961–80, 184
Gastric cancer, in coal miners, case-control study, coal mining area, 627
GENDEK E *see* LEYKO W and GENDEK E
Genotoxic exposures, urinary screening, chemical industry, 691
GERHARDSSON L, BRUNE D, NORDBERG I G F, and WESTER P O: Protective effect of selenium on lung cancer in smelter workers, 617
GERHARDSSON M R, NORELL S E, KIVIRANTA H J, and AHLBOM A: Respiratory cancers in furniture workers, 403
GIANSANTE C *see* BOVENZI M *et al*
GILBERT E S and PETERSEN G R: A note on "Job related mortality risks of Hanford workers and their relation to cancer effects of measured doses of external readiation": short report, 137
GJESDAL K, BILLE S, BREDESEN J E, BJØRGE E, HALVORSEN B, LANGSETH K, LUNDE P K M and SIVERTSSEN E: Exposure to glyceryl trinitrate during gun powder production: plasma glyceryl trinitrate concentration, elimination kinetics, and discomfort among production workers, 27
GLANCY J J *see* COOKSON W O C *et al*
COOKSON W O C M *et al*
Glass producing area, SE Sweden, mortality pattern, 411
Glyceryl trinitrate, exposure during gun powder production, 27
GOEMAERE E *see* NEMERY B *et al*
GOLDBERG J *see* MAIZLISH N A *et al*
GORDON L A *see* ROSENBERG M J *et al*
Green coffee exposure, bronchial reactivity, 415
GRIMES B A *see* FLANNIGAN S A *et al*
GUBERAN E and RAYMOND L: Mortality and cancer incidence in the perfumery and flavour industry of Geneva, 240
Guidance for authors, 2
Gun powder production, exposure to glyceryl trinitrate, 27
GUSTAFSON C and TAGESSON C: Influence of organic solvent mixtures on biological membranes, 591

H

HÅKANSSON M *see* LUNDBERG I and HÅKANSSON M
HALVORSEN B *see* GJESDAL K *et al*
HAMPTON L *see* WALLER R E *et al*
Hand injuries, coal miners, South Wales, 844
Hanford survey, risk factors for radiogenic cancer, 341: correspondence, 647
—— —— job related mortality risks, radiation and cancer, 137
HANLEY J A *see* LIDDELL F D K and HANLEY J A
HÄRKÖNEN H *see* SAVOLAINEN H *et al*
HARLEY J P *see* BAKER E L *et al*
HARRIST R B *see* FLANNIGAN S A *et al*
HARROP S N *see* MORGAN W J and HARROP S N
Hazards, industrial: editorial, 289
— and job load analysis, method for analysis of workplace conditions for occupational health care, 656

Heart disease, mortality and carbon disulphide exposure, effects of intervention, 32
HELLQUIST H *see* EDLING C *et al*
HEND R W *see* DOAK S M A *et al*
HENDY M S, BEATTIE B E, and BURGE P S: Occupational asthma due to an emulsified oil mist, 51: correspondence reply, 646
HERNBERG S *see* NURMINEN M and HERNBERG S
HESSEL P A *see* SLUIS-CREMER G K *et al*
HEWITT J I *see* FLOOD D F S *et al*
HIGGINS I T T *see* MUSCH D C *et al*
HILL E C *see* DAVIES D H *et al*
HILLERDAL D *see* ÖZESMI M *et al*
HOBBS M S T *see* COOKSON W O C *et al*
HODGSON E S: Occupational asthma due to an emulsified oil mist: correspondence, 646
HOGSTEDT C *see* AHLBORG G *et al*
ELINDER C-G *et al*
OHLSON C-G and HOGSTEDT C
OHLSON C-G *et al*
HOLLAND Y *see* LLOYD O L *et al*
HOLM S *see* WALLÉN M *et al*
HORI H *see* OHNISHI A *et al*
HORNUNG R W *see* ROSENBERG M J *et al*
Hospital staff, sickness absenteeism rates, role of demographic and occupational factors, 326
House painters and concrete reinforcement workers, compared, for back pain and heavy physical work, 226
HOWELLS C H L *see* DAVIES D H *et al*
HUNT P F *see* DOAK S M A *et al*
HUTCHINS H *see* CHERRY N *et al*
Hypersensitivity, specific, enzyme detergent industry, over 11 years, 43: correction, 288

I

ICRP *see* International Commission on Radiological Protection
INABA R *see* OKADA A *et al*
Industrial hazards: editorial, 289
—— medicine: which way ahead: editorial, 1
Information section, MEDLARS, 142, 358, 573, 789
Inhalation studies after exposure to mineral dusts, 707
INOUE N *see* OHNISHI A *et al*
Insecticides, synthetic pyrethroid, dermatological evaluation, 363
International Commission on Radiological Protection, risk factors for radiogenic cancer, 341: correspondence, 647
IREGREN A *see* OLSON B A *et al*
Iron foundry workers *see* Foundry workers

J

JACOBSEN M *see* MILLER B G and JACOBSEN M
Jade workers, and silicosis, 761
JAKUBOWSKI M *see* TURLAKIEWICZ Z *et al*
JAMISON J P, LANGLANDS J H M, and BODEL C C: Ventilatory responses of normal subjects to flax dust inhalation: the protective effect of autoclaving the flax, 196
JENKINS R: Minor psychiatric morbidity in employed young men and women and its contribution to sickness absence, 147
—— Minor psychiatric morbidity and labour turnover, 534
JEYARATNAM J: Health problems of pesticide usage in the Third World: editorial, 505
—— DEVATHASAN G, ONG C N, PHOON W O, and WONG P K: Neurophysiological studies on workers exposed to lead, 173
Job-exposure matrix, for use in population based studies, England and Wales, 777
—— load and hazard analysis, method for analysis of workplace conditions for occupational health care, 656
—— related mortality risks, Hanford workers, relation to cancer effects of measured doses of external radiation: short report, 137: correspondence, 568
—— —— —— —— *see also* specific substances and work
JOHNSON A, CHAN-YEUNG M, MACLEAN L, ATKINS E, DYBUNCIO A, CHENG F, and ENARSON D: Respiratory abnormalities among workers in an iron and steel foundry, 94
JOHNSTON A M *see* VINCENT J H *et al*
JONES A D *see* VINCENT J H *et al*
JONES B *see* WALKER D D *et al*
JONES J G *see* MINTY B D *et al*
JONES M *see* ATUHAIRE L K *et al*
JONES M R L *see* BROADBENT D E *et al*
JONES R D *see* BAKINSON M A and JONES R D
JONG G DE *see* DE JONG G
JUNIPER C P *see* FLOOD D F S *et al*

K

KAGAMINORI S *see* KUBOTA M *et al*
KÅGEDAL B *see* ELINDER C G *et al*
KAMINSKI M *see* ESTRYN-BEHAR M and KAMINSKI M
KANCELJAK B *see* ŽUŠKIN E *et al*
Kanechlor-400 and biphenyl, effects on respiratory and energy linked activities, rat liver mitochrondria, comparative study, 128
KAW J L and WASEEM M: Pulmonary response to agate dust in vivo and cytotoxic and haemolytic effects in vitro, 700
KAZANTZIS G *see* ARMSTRONG B G and KAZANTZIS G
KERRMUIR M *see* SALMON A G *et al*
KEY M M *see* FLANNIGAN S A *et al*
KHEIFETS L *see* WONG O *et al*
Killer cell activity, reduced, of lymphocytes in asbestosis, 276
KIVIRANTA H J *see* GERHARDSSON M R *et al*
KJELLSTRÖM T *see* ELINDER C-G *et al*
KLERK N H DE *see* DE KLERK N H
KNEALE G W *see* STEWART A M and KNEALE G W
KNIPSCHILD P *see* SWAEN G M H *et al*
KOGA M *see* OHNISHI A *et al*
KOKI G *see* SMITH D *et al*
KUBOTA M, KAGAMIMORI S, YOKOYAMA K, and OKADA A: Reduced killer cell activity of lymphocytes from patients with asbestosis, 276
KUNÉ J B: Accident liability, 336

L

Laboratory animals, allergy to: correspondence, 213
Laggers, mortality, London 1933–80, 4
LAM S K *see* ONG S G *et al*
LAM T H, YAU K P, and O'KELLY F J: Dysbaric hazard of a new fishing method in Hong Kong: case report, 209
—— *see also* ONG S G *et al*
Lamp factories, two, female reproductive health, effects of exposure to inorganic mercury vapour and stress factors, 488
LANDIS J R *see* MUSCH D C *et al*
LANGLANDS J H M *see* JAMISON J P *et al*
LANGOLF G D *see* MAIZLISH N A *et al*
LANGSETH K *see* GJESDAL K *et al*
LARSEN K-O *see* VESTBO J *et al*
LARSON S R *see* WONG O *et al*
LARSSON L G *see* DAMBER L and LARSSON L G
Laryngeal cancer, furniture workers, 403
LAWTHER P J *see* WALLER R E *et al*
Lead, airborne, total contribution to blood lead, 168
—— neurophysiological studies on workers exposed, correspondence, 503
—— neurotoxicity, occupational, improvement in behavioural effects after reduction of exposure, 507
—— workers exposed to, neurophysiological studies, 173
LEE W R: "One simple set of regulations": editorial, 289
LEEMPUTTEN R VAN, *see* VAN LEEMPUTTEN R
Legionella pneumophila, coal miners, 421
LEYKO W and GENDEK E: A spin label study of the effects of asbestos, quartz, and titanium dioxide dusts on the bovine erythrocyte membrane, 281
LIDDELL F D K and HANLEY J A: Relations between asbestos exposure and lung cancer SMRs in occupational cohort studies, 389

LIND B *see* LUNDBORG M *et al*
LINDBERG E *see* ELINDER C G *et al*
Liver enzymes, normal serum activities, paint industry workers with heavy exposure to organic solvents, Sweden, 596
LLOYD M M *see* LLOYD O L *et al*
LLOYD O L, SMITH G, LLOYD M M, HOLLAND Y, and GAILEY F: Raised mortality from lung cancer and high sex ratios of births associated with industrial pollution, 475
—— WILLIAMS F, and GAILEY F A Y: Is the Armadale epidemic over? Air pollution and mortality from lung cancer and other diseases, 1961–82, 815
LOCATELLI F *see* POZZI C *et al*
LOW I and MITCHELL C: Respiratory disease in foundry workers, 101
LUCYZYNSKA C M *see* TOPPING M D *et al*
LUNDBERG I and HÅKANSSON M: Normal serum activities of liver enzymes in Swedish paint industry workers with heavy exposure to organic solvents, 596
LUNDBORG M, EKLUND A, LIND B, and CAMNER P: Dissolution of metals by human and rabbit alveolar macrophages, 642
LUNDE P K M *see* GJESDAL K *et al*
Lung cancer, asbestos cement workers, Swedish cohort study and review, 397
—— —— furniture workers, 403
—— —— and mesothelioma mortality, combined effect of asbestos and smoking, in factory workers, 12
—— —— and other diseases, mortality from, and air pollution, Armadale epidemic, 1961–82, current situation, 815
—— —— protective effect of selenium in smelter workers, 617
—— —— and randon daughter exposure: editorial, 721
—— —— raised mortality, and high sex ratios of births, associated with industrial pollution, 475
—— —— and smoking, professional drivers, 246
—— —— SMRs and asbestos exposure relations between, in occupational cohort studies, 389
—— fibrosis, asymmetric rapidly progressive, cause of pseudotumour in asbestosis: short report, 350
—— function, after barley dust exposure, 106
—— —— enzyme detergent industry, over 11 years, 43: correction, 288
—— —— measurements, over 21 days shiftwork, in steelworkers from a strandcasting department, 601
—— human, in health and disease, morphometric and elemental microanalytical studies, 36
—— uptake of solvents from: editorial, 217: correspondence, 569
LUNN J A: Health assessment of applicants for nurse training: editorial, 649
LUUKKONEN R *see* SAVOLAINEN K *et al*
Lymph nodes and lesions, microanalyses, coalminers' lungs, 551
Lymphocytes, in asbestosis, reduced killer cell activity, 276
Lymphoma, malignant, and peritoneal mesothelioma, caused by fibrosis zeolite, in mice, 746

M

MA P L *see* ONG S G *et al*
MCCARTHY P E, COCKCROFT A E, and MCDERMOTT M: Lung function after exposure to barley dust, 106
MCDERMOTT M *see* MCCARTHY P E *et al*
MCDONALD A D and MCDONALD J C: Mesothelioma and asbestos fibre type: correspondence, 567: correction, 847
MCDONALD J C *see* MCDONALD A D and MCDONALD J C
MCKIERNAN M J *see* SORAHAN T *et al*
MACLAREN W M and SOUTAR C A: Progressive massive fibrosis and simple pneumoconiosis in ex-miners, 734
MACLEAN L *see* JOHNSON A *et al*
MAIZLISH N A, LANGOLF G D, WHITEHEAD L W, FINE L J, ALBERS J W, GOLDBERG J, and SMITH P: Behavioural evaluation of workers exposed to mixtures of organic solvents, 579
MALE J C *see* BROADBENT D E *et al*
MANTON W I: Total contribution of airborne lead to blood lead, 168
Manuscripts, destruction, 480
MARAI P *see* POZZI C *et al*
MARANELLI G *see* PERBELLINI L *et al*
MATHEW R M *see* CHECKOWAY H *et al*
MATOBA T, CHIBA M, and SAKURAI T: Body reaction during chain saw work, 667
MATSUMOTO T *see* FUTATSUKA M *et al*
MATTILA M K: Job load and hazard analysis: a method for the analysis of workplace conditions for occupational health care, 656
MELE R *see* COOKSON W O C *et al*
Membranes, biological, influence of organic solvent mixtures, 591
Mercury vapour influence on female reproductive health, 488
Mesothelioma, and asbestos fibre type: correspondence, 567: correction, 847
—— and lung cancer, combined effect of asbestos and smoking, in factory workers, 12
—— malignant, asbestos-related, urinary modified nucleosides, 560
—— peritoneal, and malignant lymphoma, caused by fibrous zeolite, in mice, 746
Metallothionen and cadmium exposure: correspondence, 70
Metals, dissolution by human and rabbit alveolar macrophages, 642
Methyl groups or additional aromatic groups, donate tumour promoting activity: short report, 784
—— isocyanate, Bhopal catastrophe, and usefulness of acute toxicity testing: editorial, 577
—— —— effects on respiratory tract, rats, 799
—— —— toxic effects, eyes, 795
—— n-butyl ketone, neurotoxicity enhancement by non-neurotoxic aliphatic monoketones, experimental study, 155
Methylene chloride gassings, reported to Her Majesty's Factory Inspectorate 1961–80, 184
Microsomes, and vesicular reconstituted cytochrome P-450 systems, and dechlorination of halocarbons, under reductive conditions, 305
MILLER B G and JACOBSEN M: Dust exposure pneumoconiosis, and mortality of coalminers, 723
Mineral dusts, inhaled, during chronic exposure, kinetics of deposition and clearance, 707
Mineralogical analysis, quantitative, small samples of china clay, using x ray diffractometry, 635
MINTY B D, ROYSTON D, JONES J G, SMITH D J, SEARING C S M, and BEELEY M: Changes in permeability of the alveolar-capillary barrier in firefighters, 631
MISUMI J and NAGANO M: Experimental study on the enhancement of the neurotoxicity of methyl n-butyl ketone by non-neurotoxic aliphatic monoketones, 155
MITCHELL C *see* LOW I and MITCHELL C
Mitochondria, rat liver, respiratory and energy linked activities, effect of biphenyl and Kanechlor-400, comparative study, 128
MOORE D H *see* ROSENBERG M J *et al*
MOORE F *see* ATUHAIRE L K *et al*
MORGAN R W *see* WONG O *et al*
MORGAN W J and HARROP S N: Hand injuries in south Wales coal miners, 844
MORIAKI G *see* DE ROSIS F *et al*
Mortality, cardiovascular, and carbon disulphide exposure, effects of intervention, 32
—— coalminers, Rhondda Fach 1950–80, 741
—— dust exposure and pneumoconiosis, coalminers, 723
—— of factory workers, east London 1933–80, 4
—— *See also* Cancer mortality
MORTENSEN J BRØCHNER; *see* BRØCHNER-MORTENSEN J
MUONA D *see* SAVOLAINEN K *et al*
MURAI Y *see* OHNISHI A *et al*
MUSCH D C, HIGGINS I T T, and LANDIS J R: Some factors influencing interobserver variation in classifying simple pneumoconiosis, 346
MUSK A W *see* COOKSON W O C *et al*
Mutagenicity studies, tyre plant, in vitro activity of workers' urinary concentrates and raw materials, 481
—— urinary screening, chemical industry, 691

N

NAGANO M *see* MISUMI J and NAGANO M
Nasal cancer, textile and clothing industries, 469; correction, 566
NASH J A *see* SALMON A G *et al*
NEMERY B, DINSDALE D, SPARROW S, and RAY D E: Effects of methyl isocyanate on the respiratory tract of rats, 799
—— VAN LEEMPUTTEN R, GOEMAERE E, VERITER C, and BRASSEUR L: Lung function measurements over 21 days shiftwork in steelworks from a strandcasting department, 601
Neurobehavioural effects, of repeated occupational exposure to toluene and paint solvents, 291
NEWHOUSE M L, BERRY G, and WAGNER J C: Mortality of factory workers in east London 1933–80, 4
—— OAKES D, and WOOLLEY A J: Mortality of welders and other craftsmen at a shipyard in NE England, 406
—— *see also* BERRY G *et al*
NG T P, ALLAN W G L, TSIN T W, and O'KELLY F J: Silicosis in jade workers, 761
—— TSIN T W, and O'KELLY F J: An outbreak of illness after occupational exposure to ozone and acid chlorides, 686
NIELSEN S L *see* VESTBO J *et al*
NILSEN A M and ENGEN S: Statistical derivation of a standardised procedure for counting expectorated alveolar macrophages as indicators of occupational air pollution, 205
NISHIHARA Y: Comparative study of the effects of biphenyl and Kanechlor-400 on the respiratory and energy linked activities of rat liver mitochondria, 128
NISKANEN T *see* WICKSTRÖM G *et al*
NIZOO E H *see* SLUIS-CREMER G K *et al*
NORDBERG I G F *see* GERHARDSSON L *et al*
NORDQVIST M B *see* WALLÉN M *et al*
NORELL S E *see* GERHARDSSON M R *et al*
Notices
Biochemical and Cellular Indices of Human Toxicity in Occupational and Environmental Medicine, Milan, 19–22 May 1986, 571
1985 Course schedule for continuing education courses in occupational safety and health for Kettering Laboratory, University of Cincinatti, 216, 572
Fifth International Cadmium Conference to examine markets and environmental questions, San Francisco, February 1986, 788
Fourth International Symposium on Epidemiology in occupational health, Como, Italy, September 1985, 141
International Conference on the Occupational and Environmental Significance of Chemical Carcinogens, Bologna, Italy 8–10 October 1985, 571
International Conference on Organisational patterns of occupational health services in developing countries, Aswan, February 1986, 648
International Symposium on Ergonomics in Developing Countries in Jakarta, Indonesia, 18–21 November 1985, 572
Pb86: Ninth International Lead Conference, W Germany, October 1986, 788
Second International Symposium, Neuro-behavioural methods in occupational and environmental health, Copenhagen, August 1985, 215
Sixth International Symposium on Inhaled Particles, 1985, Cambridge, 2–6 September 1985, 572
Symposium on Biochemical and cellular indices of human toxicity in occupational and enviromental medicine, Milan, May 1986, 571
Toxicology and the clinic, course, London, March 1986, 788
Twelfth International Colloquium on the Prevention of occupational risks in the construction industry, Hamburg, September 1985, 72
Nucleosides, modified, in asbestos workers at high risk of malignant disease, 560
NURMINEN M and HERNBERG S: Effects of intervention on the cardiovascular mortality of workers exposed to carbon disulphide: a 15 year follow up, 32
Nurse training, health assessment of applicants: editorial, 649

O

OAKES D *see* DOUGLAS D B *et al*
NEWHOUSE M L *et al*
Occupational asthma, due to emulsified oil mist, 51
—— and environmental significance of chemical carcinogens, International Conference, Bologna, October 1984, notice, 571
—— health, and the archaeologist: editorial, 793
—— histories, obtained from wives, accuracy: short report, 563
—— medicine: which way ahead: editorial, 1
—— safety and health, continuing education courses, Cincinnati, schedule, notice, 216
Oculodermatological findings, in occupational exposure to polychlorinated biphenyls (PCBs), 426
ÖDKVIST T *see* EDLING C *et al*
OGSTON S *see* WALKER D D *et al*
OHLSON C-G, BODIN L, RYDMAN T, and HOGSTEDT C: Ventilatory decrements in former asbestos cement workers: a four year follow up, 612
—— and HOGSTEDT C: Lung cancer among asbestos cement workers. A Swedish cohort study and a review, 397
OHNISHI A, INOUE N, YAMAMOTO T, MURAI Y, HORI H, KOGA M, TANAKA I, and AKIYAMA T: Ethylene oxide induces central-peripheral distal axonal degeneration of the lumbar primary neurones in rats, 373
Oil mist, emulsified, causing occupational asthma, 51: correspondence, 646
OKADA A, OKUDA H, INABA R, and ARIIZUMI M: Influence of local vibration on plasma creatine phosphokinase (CPK) activity, 678
—— *see also* ARIIZUMI M and OKADA A
KUBOTA M *et al*
O'KELLY F J *see* LAM T H *et al*
NG T P *et al*
O'KELLY F J O *see* ONG S G *et al*
OKUDA H *see* OKADA A *et al*
OLIN R, VÅGERÖ D, and AHLBOM A: Mortality experience of electrical engineers: short report, 211
—— *see also* VÅGERÖ D *et al*
OLSEN N, FJELDBORG P, and BRØCHNER-MORTENSEN J: Sympathetic and local vasoconstrictor response to cold in vibration induced white finger, 272
OLSON B A, GAMBERALE F, and IREGREN A: Coexposure to toluene and p-xylene in man: central nervous functions, 117
ONG C N *see* JEYARATNAM J *et al*
ONG S G, LAM T H, WONG C M, MA P L, LAM S K, and O'KELLY F J O: Byssinosis in Hong Kong, 499
Organic solvents *see* Solvents, organic
ÖZESMI C *see* ÖZESMI M *et al*
ÖZESMI M, PATIROGLU T E, HILLERDAL G, and ÖZESMI C: Peritoneal mesothelioma and malignant lymphoma in mice caused by fibrous zeolite, 746
Ozone and acid chlorides, outbreak of illness after occupational exposure, 686

P

P-xylene and toluene, coexposure in man, central nervous functions, 117: uptake and elimination, 111
PACE T *see* CHERRY N *et al*
Paint industry workers, with heavy exposure to organic solvents, normal serum activities of liver enzymes, Sweden, 596
PANNETT B, COGGON D, and ACHESON E D: A job-exposure matrix for use in population based studies in England and Wales, 777
PAOLETTI A *see* CREBELLI R *et al*
Papua New Guinea, Asaro Valley, respiratory impairment, coffee factory workers, 495
PAPWORTH D G *see* BAVERSTOCK K F and PAPWORTH D G
Paraquat pneumonitis, recovery from, 178
Partition coefficients, industrial aliphatic hydrocarbons ($C5$–C^7), in blood and human tissues, 162
PATIN A M ALIES-, *see* ALIES-PATIN A M

PATIROGLU T E *see* ÖZESMI M *et al*
PERBELLINI L, BRUGNONE F, CARETTA D, and MARANELLI G: Partition coefficients of some industrial aliphatic hydrocarbons (C5–C7) in blood and human tissues, 162
Perchloroethylene toxicity, domestic appliance and toy works, 686
Perfumery and flavour industry, Geneva, mortality and cancer incidence, 240
Peritoneal mesothelioma, and malignant lymphoma, caused by fibrous zeolite, in mice, 746
PERITZ E *see* PINES A *et al*
Pesticide usage, health problems, Third World: editorial, 505
PETERS J M *see* GARABRANT D H *et al*
PETERSEN G R *see* GILBERT E S and PETERSEN G R
Petroleum aromatic extracts, hydrotreated, carcinogenic potential, 380
—— refinery workers, sperm as indicator of reproductive risk, 123
PHOON W D *see* JEYARATNAM J *et al*
PICKERING C A C *see* VENABLES K M *et al*
PINES A, SKULKEO K, POLLAK E, PERITZ E, and STEIF J: Rates of sickness absenteeism among employees of a modern hospital: the role of demographic and occupational factors, 326
PIPPARD E C, ACHESON E D, and WINTER P D: Mortality of tanners, 285
—— *see* COGGON D *et al*
Pneumoconiosis, dust exposure, and mortality, coalminers, 723
—— interobserver variation in classifying, factors influencing, 346
—— simple, and progressive massive fibrosis, ex-miners, 734
Pneumonitis, paraquat, recovery from, 178
Pneumophila, legionella, coal miners, 421
POLLAK E *see* PINES A *et al*
Pollution, air, occupational, expectorated alveolar macrophages as indicators, statistical derivation of standardised procedure for counting, 205
—— industrial, and raised mortality from lung cancer and high sex ratios of births, 475
Polychlorinated biphenyls (PCBs), occupational exposure to, oculodermatological findings, 426
Polyurethane foam manufacturing workers, amines inducing occupational asthma: correspondence, 567
PONTI R *see* POZZI C *et al*
Population based studies, England and Wales, use of job-exposure matrix, 777
POTHIER L J *see* BAKER E L *et al*
POZZI C, MARAI P, PONTI R, DELL'ORO C, SALA C, ZEDDA S, and LOCATELLI F: Toxicity in man due to stain removers containing 1,2-dichloropropane, 770
Pregnancy and biological exposure limits: editorial, 145
—— *see also* Female reproductive health
PREUSS O P: Long term follow up of workers exposed to beryllium: correspondence, 69
Promoters, tumour initiators, and complete carcinogens: short report, 716
Prostatic cancer, and chronic respiratory and renal disease, cadmium workers, British, case control study, 540
Psychiatric morbidity, minor, in employed young men and women, its contribution to sickness absence, 147: and labour turnover, 534
Pulmonary function, firemen, London, 55
Pyrethroid, synthetic, exposure, causing variation in cutaneous perfusion, 773

Q

Quartz, effect on bovine erythrocyte membrane, spin label study, 281

R

Radiant heat, effects of fire fighting instructors: short report, 67
Radiation, external, cancer effects of measured doses, and job-related mortality risks, Hanford workers: short report, 137: correspondence, 569
—— work experience, and cause specific mortality, energy research laboratory workers, 525
Radiogenic cancer, risk factors, comparison between Hanford survey and ICRP, 341: correspondence, 647
Radon daughter exposure and lung cancer: editorial, 721
RATCLIFFE J *see* ROSENBERG M J *et al*
RAY D E *see* NEMERY B *et al*
RAYMOND L *see* GUBERAN E and RAYMOND L
REILLY M S J: Mortality from occupational accidents to United Kingdom fishermen 1961–80, 806
Renal disease, cadmium workers, British, case control study, 540
—— function, assessment in workers previously exposed to cadmium, 754
Reproduction *see* Female reproductive health: Pregnancy: Sperm
Respiratory abnormalities, iron and steel foundry workers, 94
—— cancers, furniture workers, 403
—— disease, foundry workers, 101
—— effects, borax dust, 831
—— impairment, coffee factory workers, Asaro Valley, Papua New Guinea, 495
—— and renal disease, and prostatic cancer, cadmium workers, British, case control study, 540
—— tract, effects of methyl isocyanate, rats, 799
Reticulocyte haem synthesis, in occupational exposure to trinitrotoluene: short report, 354
RIBEIRO C D *see* DAVIES D H *et al*
RIIHIMÄKI H: Back pain and heavy physical work: a comparative study of concrete reinforcement workers and maintenance house painters, 226
—— *see* WICKSTRÖM G *et al*
RIIHIMÄKI V *see* SAVOLAINEN K *et al*
Risk factors, for radiogenic cancer, comparison between Hanford survey and ICRP, 341: correspondence, 647
—— *see also* Hazard(s)
RIZZO J N *see* FISCHBEIN A *et al*
ROBERTS D M *see* FLOOD D F S *et al*
ROBINSON A J *see* WALKER D D *et al*
ROSENBERG M J, WYROBEK A J, RATCLIFFE J, GORDON L A, WATCHMAKER G, FOX S H, MOORE D H, and HORNUNG R W: Sperm as an indicator of reproductive risk among petroleum refinery workers, 123
ROSIS F DE *see* DE ROSIS F
ROSS C E *see* FLANNIGAN S A *et al*
ROYSTON D *see* MINTY B D *et al*
RUCKLEY V A *see* CHAPMAN J S and RUCKLEY V A
RYDMAN T *see* OHLSON C-G *et al*

S

SAHLSTEN S *see* VÄGERÖ D *et al*
SAKURAI T *see* FUTATSUKA M *et al*
MATOBA T *et al*
SALA C *see* POZZI C *et al*
SALMON A G: Does acute toxicity tell us anything useful? Methyl isocyanate as a test case: editorial, 577
—— Vinyl chloride: the evidence for human carcinogenicity in different target organs: editorial, 73
—— KERRMUIR M, and ANDERSSON N: Acute toxicity of methyl isocyanate: a preliminary study of the dose response for eye and other effects, 795
—— NASH J A, WALKLIN C M, and FREEDMEN R B: Dechlorination of halocarbons by microsomes and vesicular reconstituted cytochrome P-450 systems under reductive conditions, 305
SALT P D: Quantitative mineralogical analysis of small samples of china clay using x ray diffractometry, 635
SAVOLAINEN H, TENHUNEN R, and HÄRKÖNEN H: Reticulocyte haem synthesis in occupational exposure to trinitrotoluene: short report: 354
SAVOLAINEN K, RIIHIMÄKI V, LUUKKONEN R, and MUONA O: Changes in the sense of balance correlate with concentrations of m-xylene in venous blood, 765
SCARISBRICK D A *see* TOPPING M D *et al*
Sclerosis, progressive systemic, silica and silicosis, 838
SCOTT G *see* DOUGLAS D B *et al*

SEARING C S M *see* MINTY B D *et al*
SEATON A *see* TOPPING M D *et al*
SEIDENFELD J J, SOBONYA R E, and TOYOSHIMA J M: Recovery from paraquat pneumonitis, 178
Selenium, protective effect on lung cancer, smelter workers, 617
SELVAGGI L *see* DE ROSIS F *et al*
Semiconductor workers, cancer incidence and mortality, 546
SHARMA O K *see* SOLOMON S J *et al*
Shipyard workers, mortality, NE England, 406
SHY C M *see* CHECKOWAY H *et al*
Sickness absenteeism, psychiatric morbidity, 147
—— —— rates among hospital staff, role of demographic and occupational factors, 326: correspondence, 787
SIEGESMUND K A, FUNAHASHI A, and YORDE D E: Morphometric and elemental microanalytical studies of human lung in health and disease, 36
Silica, silicosis, and progressive systemic sclerosis, 838
Silicosis, in jade workers, 761
Sinonasal cancer, furniture workers, 403
SITTERT N J VAN *see* VAN SITTERT N J
SIVERTSSEN E *see* GJESDAL K *et al*
SKERFVING S *see* ÅKESSON B *et al*
Skin *see* Oculodermatological findings
SKULKEO K *see* PINES A *et al*
SKURIĆ Z *see* ŽUŠKIN E *et al*
SLANGEN J J M *see* SWAEN G M H *et al*
SLOVAK A J M and TAYLOR A J N: Allergy to laboratory animals: correspondence, 213
SLUIS-CREMER G K, HESSEL P A, NIZDO E H, CHURCHILL A R, and ZEISS E A: Silica, silicosis, and progressive systemic sclerosis, 838
Smallpox, and the archaeologist: editorial, 793
Smelter workers, protective effect of selenium on lung cancer, 617
SMITH D, BROTT K, and KOKI G: Respiratory impairment in coffee factory workers in the Asaro Valley of Papua New Guinea, 495
SMITH D J *see* MINTY B D *et al*
SMITH G *see* LLOYD O L *et al*
SMITH J C *see* CHECKOWAY H *et al*
SMITH P *see* MAIZLISH N A *et al*
SMITH T J *see* GARABRANT D H *et al*
Smoking and asbestos, combined effect on mortality from lung cancer and mesothelioma, in factory workers, 12
—— enzyme detergent industry, over 11 years, 43: correction, 288
—— and lung cancer, professional drivers, case referent study, 246
SOBONYA R E *see* SEIDENFELD J J *et al*
SOLOMON S J, FISCHBEIN A, SHARMA O K, and BOREK E: Modified nucleosides in asbestos workers at high risk of malignant disease: results of a preliminary study applying discriminant analysis, 560
—— *see* FISCHBEIN A *et al*
Solvents, mixtures, organic, influence on biological membranes, 591
—— neurotoxicity: editorial, 433
—— organic, behavioural evaluation of workers exposed to, 579
—— —— normal serum activities of liver enzymes in Swedish paint industry workers with heavy exposure, 596
—— paint, and toluene, neurobehavioural effects of repeated occupational exposure, 291
—— uptake from lungs: editorial, 217: correspondence, 569
SORAHAN T, WATERHOUSE J A H, MCKIERNAN M J, and ASTON R H R: Cancer incidence and cancer mortality in a cohort of semiconductor workers, 546
SORSA M *see* AHLBORG G *et al*
SOUTAR C A *see* MACLAREN W M and SOUTAR C A
SPÅNG G *see* ELINDER C-G *et al*
SPARROW S *see* NEMERY B *et al*
Spectrometry, flameless atomic absorption, to determine diethyllead in urine, 63
Sperm, as indicator of reproductive risk among petroleum refinery workers, 123
STAFFORD J *see* FORMAN D *et al*
Stain removers containing 1,2-dichloropropane, causing toxicity in man, 770
Steel coating plant, occupational asthma, 517
—— foundry workers *see* Foundry workers
Steelworkers, from a strandcasting department, lung function measurements over 21 days shiftwork, 601
STEIF J *see* PINES A *et al*
STEVENSON C J: Effects of radiant heat in fire fighting instructors: short report, 67
STEWART A M and KNEALE G W: Job related mortality risks of Hanford workers and their relation to cancer effects of measured doses of external radiation: correspondence, 568
—— —— Risk factors for radiogenic cancer: a comparison of factors derived from the Hanford survey with those recommended by the ICRP: correspondence, 647
Strandcasting department, steelworkers from, lung function measurements over 21 days shiftwork, 601
STURMANS F *see* SWAEN G M H *et al*
Styrene exposure, no acute behavioural effects, a safe level of exposure? 301
—— gassings, reported to Her Majesty's Factory Inspectorate 1961–80, 184
SULTZ H A *see* VENA J E *et al*
SWAEN G M H, AERDTS C W H M, STURMANS F, SLANGEN J J M, and KNIPSCHILD P: Gastric cancer in coal miners: a case-control study in a coal mining area, 627
Sympathetic cold response, in vibration induced white finger, 272

T

TAGESSON C *see* GUSTAFSON C and TAGESSON C
TANAKA I *see* OHNISHI A *et al*
TANKERSLEY W G *see* CHECKOWAY H *et al*
Tanners, mortality, 285
TASKER E G *see* WALKER D D *et al*
TAYLOR A J N *see* SLOVAK A J M and TAYLOR A J N
VENABLES K M *et al*
TEASDALE E L *see* DAVIES G E and TEASDALE E L
Telecommunications industry workers, cancer morbidity, 191
TENHUNEN R *see* SAVOLAINEN H *et al*
Tetraethyllead, occupational exposure to, diethyllead as specific indicator, 682
Textile industry, nasal cancer, 469; correction, 566
Titanium dioxide dust, effect on bovine erythrocyte membrane, 281
Toluene gassings, reported to Her Majesty's Factory Inspectorate 1961–80, 184
—— and paint solvents, neurobehavioural effects of repeated occupational exposure, 291
—— and p-xylene, coexposure in man, central nervous functions, 117: uptake and elimination, 111
TOPPING M D, SCARISBRICK D A, LUCZYNSKA C M, CLARKE E C, and SEATON A: Clinical and immunological reactions to *Aspergillus niger* among workers at a biotechnology plant, 312
Toxicity testing, usefulness, and methyl isocyanate, Bhopal catastrophe: editorial, 577
TOYOSHIMA J M *see* SEIDENFELD J J *et al*
TRAVERS P H *see* BAKER E L *et al*
Trichloroacetyl chlorides, toxicity, domestic appliance and toy works, 686
TRIEBIG G: Neurophysiological studies on workers exposed to lead: correspondence, 503
Triethylamine, visual disturbances after experimental human exposure, 848
Trinitrotoluene, occupational exposure to, reticulocyte haem synthesis in: short report, 354
TSIN T W *see* NG T P *et al*
TUCKER S B *see* FLANNIGAN S A and TUCKER S B
FLANNIGAN S A *et al*
Tumour initiators, promoters, and complete carcinogens: short report, 716
—— promoting activity, and methyl groups or additional aromatic

groups: short report, 784
TURLAKIEWICZ Z and CHMIELNICKA J: Diethyllead as a specific indicator of occupational exposure to tetraethyllead, 682
—— JAKUBOWSKI M, and CHMIELNICKA J: Determination of diethyllead in the urine by flameless atomic absorption spectrometry, 63
Tyre plant, mutagenicity studies, in vitro activity of workers' urinary concentrates and raw materials, 481

U

UENO T *see* FUTATSUKA M *et al*

V

VÅGERÖ D, AHLBOM A, OLIN R, and SAHLSTEN S: Cancer morbidity among workers in the telecommunications industry, 191
—— *see also* OLIN R *et al*
VALLERON A J *see* ALIES-PATIN A M and VALLERON A J
VAN DER WIEL A *see* DOAK S M A *et al*
VAN LEEMPUTTEN R *see* NEMERY B *et al*
VAN SITTERT N J, DE JONG G, CLARE M G, DAVIES R, DEAN B J, WREN L J, and WRIGHT A S: Cytogenetic, immunological, and haematological effects in workers in an ethylene oxide manufacturing plant, 69
Vancouver style, 487
VENA J E, SULTZ H A, FIEDLER R C, and BARNES R E: Mortality of workers in an automobile engine and parts manufacturing complex, 85
VENABLES K M, DALLY M B, BURGE P S, PICKERING C A C, and TAYLOR A J N: Occupational asthma in a steel coating plant, 517
Ventilatory decrements, in former asbestos cement workers, four year follow up, 612
—— function, effect of commercial diving, 59
VERITER C *see* NEMERY B *et al*
VESTBO I *see* VESTBO J *et al*
VESTBO J, VESTBO I, LARSEN K-O, and NIELSEN S L: Is low intensity vibration harmful to the digits? short report, 565
VESTERBERG O *see* ELINDER C G *et al*
Vibration, body reaction during chain saw work, 667
—— disease, comparative study among operators of vibrating tools by factor analysis, 260
—— induced white finger, chain saw operators, follow up study, 267
—— —— —— —— different stages, relation of haemostatic function, neurovascular impairment, and vibration exposure, 253
—— —— —— —— in the gas industry, 672
—— —— —— —— sympathetic cold response, 272
—— local, influence on plasma creatine phosphokinase (CPK) activity, 678
—— low intensity, harmful to digits: short report, 565
—— whole body, effects on biogenic amines, rat brain, 133
VINCENT J H, JOHNSTON A M, JONES A D, BOLTON R E, and ADDISON J: Kinetics of deposition and clearance of inhaled mineral dusts during chronic exposure, 707
Vinyl chloride, evidence for human carcinogenicity in different target organs: editorial, 73
—— —— exposure, and angiosarcoma of the liver, report of register of cases, 750
Visual disturbances, after experimental human exposure to triethylamine, 848

W

WAGNER J C *see* NEWHOUSE M L *et al*
WALDRON H A: AIDS: minimising the occupational risks: editorial, 361
—— Occupational health and the archaeologist: editorial, 793
—— Which way ahead? editorial, 1
—— *see also* CHERRY N *et al*
WALKER DD, JONES B, OGSTON S, TASKER E G, and ROBINSON A J: A study of white finger in the gas industry, 672
WALKLIN C M *see* SALMON A G *et al*
WALLÉN M, HOLM S, and NORDQVIST M B: Coexposure to toluene and p-xylene in man: uptake and elimination, 111
WALLER R E, HAMPTON L, and LAWTHER P J: A further study of air pollution in diesel bus garages, 824
WASEEM M *see* KAW J L and WASEEM M
WATCHMAKER G *see* ROSENBERG M J *et al*
WATERHOUSE J A H *see* SORAHAN T *et al*
WATSON J E *see* CHEKCOWAY H *et al*
WATT S J: Effect of commercial diving on ventilatory function, 59
Welders, shipyard, mortality, NE England, 406
WESTER P O *see* GERHARDSSON L *et al*
WHITE R F *see* BAKER E L *et al*
WHITEHEAD L W *see* MAIZLISH N A *et al*
WHORTON M D *see* WONG O *et al*
WICKSTRÖM G, NISKANEN T, and RIIHIMÄKI H: Strain on the back in concrete reinforcement work, 233
WIEL A VAN DER *see* VAN DER WIEL A
WILLIAMS F *see* LLOYD O L *et al*
WINGREN G and AXELSON O: Mortality pattern in a glass producing area in SE Sweden, 411
WINTER P D *see* PIPPARD E C *et al*
Wives, accuracy of occupational histories obtained from: short report, 563
WOLF S H *see* CHECKOWAY H *et al*
WOLFF M S *see* FISCHBEIN A *et al*
WONG C M *see* ONG S G *et al*
WONG O, MORGAN R W, KHEIFETS L, and LAKSON S R: Comparison of SMR, PMR, and PCMR in a cohort of union members potentially exposed to diesel exhaust emissions, 449
—— —— —— LARSON S R, and WHORTON M D: Mortality among members of a heavy construction equipment operators union with potential exposure to diesel exhaust emissions, 435
WONG P K *see* JEYARATNAM J *et al*
WOOLLEY A J *see* NEWHOUSE M L *et al*
WREN L J *see* VAN SITTERT N J *et al*
WRIGHT A S *see* VAN SITTERT N J *et al*
WRIGHT J L and CHURG A: Severe diffuse small airways abnormalities in long term chrysotile asbestos miners, 556
WRIGHT W E *see* GARABRANT D H *et al*
WYROBEK A J *see* ROSENBERG M J *et al*

X

X ray diffractometry, for quantitative mineralogical analysis of small samples of china clay, 635
m-Xylene, concentrations in venous blood, and changes in sense of balance, 765
Xylene gassings, reported to Her Majesty's Factory Inspectorate 1961–80, 184

Y

YAMAMOTO T *see* OHNISHI A *et al*
YASUTAKE N *see* FUTATSUKA M *et al*
YAU K P *see* LAM T H *et al*
YEUNG M *see* ENARSON D A and YEUNG M
YEUNG M CHAN-, *see* CHAN-YEUNG M
YIN R *see* COOKSON W O C *et al*
YOKOYAMA K *see* KUBOTA M *et al*
YORDE D E *see* SIEGESMUND K A *et al*

Z

ZEDDA S *see* POZZI C *et al*
ZEISS E A *see* SLUIS-CREMER G K *et al*
Zeolite, fibrous, causing peritoneal mesothelioma and malignant lymphoma, in mice, 746
ZIELHUIS R L: Biological exposure limits: the fetus and EEC politics: editorial, 145
ŽUŠKIN E, KANCELJAK B, SKURIĆ Z, and BUTKOVIĆ D: Bronchial reactivity in green coffee exposure, 415